

Job Quote

Work To be performed at:

Willoughby Hills Fire Department
35405 Chardon Rd
Willoughby Hills, Oh 44094

Qty.	Description	Price
10	DH Windows with muntins in City Hall	
5	Picture Windows with muntins in the City Hall foyer	
12	DH Windows without muntins in Service Department	
2	Commercial single door in Service Department	
1	Glass block with vent in Service Garage North East lower corner	
1	Glass Block in Service Garage upper North East corner	
		Total \$36,900

The 10 DH windows to be installed in city hall as follows: Police Chief's office, Detectives office, Lunchroom, Mayor's office, Mayor' Secretary's office, and the Law Director's office. The 5 picture windows to be installed in the front foyer of City Hall surrounding the double doors. The 12 DH windows in Service Department will replace all existing windows. The 2 commercial doors being installed in the Service Department will be replacing 2 existing front entry doors. All windows will be triple pane with Therm D Spacers and have a U-Factor of .22 or lower. All windows to be insulated with Quad Max Foam. Price includes all permits and removal of all debris. All Windows come with Lifetime Warranty including glass breakage.

Sales Person:



Customer
Acknowledgement

Quote Date
4/25/2019

Date Ordered
Quote Not Ordered

Dealer Name:

0C3080 AFFORDABLE BUILDING COMPANY IN-

Bill To:

Ship To:

Order Notes:

Delivery Notes:

Phone: (440) 862-7631 Fax:

Quote Name:

Project Name:


Willoughby Hills City Hall

Unassigned Project

QUOTE #	RUSH	STATUS	PO#
2170070	No	None	

Line Item #	Qty	Width x Height	UI	Description
-------------	-----	----------------	----	-------------

1 1 30" X 43.875" 74



3001-Mezzo Double Hung 30 x 43.875
Sash Split = Even
Operation / Venting = Double Hung
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
U-Factor = 0.22, CR = 69, SHGC = 0.26, VT = 0.45, CPD
= ASO-A-89-03274-00001
Header Expander, Brickmould = No Brickmould, Frame
Size


Line Item Notes:

Comment / Room:

None Assigned

Line Item #	Qty	Width x Height	UI	Description
-------------	-----	----------------	----	-------------

2 1 43.5" X 44.75" 89



3001-Mezzo Double Hung 43.5 x 44.75
Sash Split = Even
Operation / Venting = Double Hung
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
U-Factor = 0.22, CR = 69, SHGC = 0.26, VT = 0.45, CPD
= ASO-A-89-03274-00001
Header Expander, Brickmould = No Brickmould, Frame
Size


Line Item Notes:

Comment / Room:

None Assigned

QUOTE #	RUSH	STATUS	PO#
2170070	No	None	

Line Item #	Qty	Width x Height	UI	Description
3	8	24.875" X 53.5"	79	




3001-Mezzo Double Hung 24.875 x 53.5
Sash Split = Even
Operation / Venting = Double Hung
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
Full Screen
U-Factor = 0.22, CR = 69, SHGC = 0.26, VT = 0.45, CPD
= ASO-A-89-03274-00001
Header Expander, Brickmould = No Brickmould, Frame
Size
Line Item Notes:

Comment / Room:

None Assigned

Line Item #	Qty	Width x Height	UI	Description
4	2	24.875" X 38.25"	64	




3001-Mezzo Double Hung 24.875 x 38.25
Sash Split = Even
Operation / Venting = Double Hung
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
Full Screen
U-Factor = 0.22, CR = 69, SHGC = 0.26, VT = 0.45, CPD
= ASO-A-89-03274-00001
Header Expander, Brickmould = No Brickmould, Frame
Size
Line Item Notes:

Comment / Room:

None Assigned

Line Item #	Qty	Width x Height	UI	Description
5	1	38.5" X 62.75"	102	



3001-Mezzo Double Hung 38.5 x 62.75
Sash Split = Even
Operation / Venting = Double Hung
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
Full Screen
U-Factor = 0.22, CR = 69, SHGC = 0.26, VT = 0.45, CPD
= ASO-A-89-03274-00001
Header Expander, Brickmould = No Brickmould, Frame
Size
Line Item Notes:


Comment / Room:

None Assigned

QUOTE #	RUSH	STATUS	PO#
2170070	No	None	

Line Item #	Qty	Width x Height	UI	Description
1	1	22.5" x 32.5"	100	

6 1 38.5" X 62.75" 102



3001-Mezzo Double Hung 38.5 x 62.75
Sash Split = Even
Operation / Venting = Double Hung
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
Full Screen
U-Factor = 0.22, CR = 69, SHGC = 0.24, VT = 0.4, CPD =
ASO-A-89-03424-00001
Contour, Colonial, White, 3V1H
Header Expander, Brickmould = No Brickmould, Frame
Size


Line Item Notes:

Comment / Room:

None Assigned

Line Item #	Qty	Width x Height	UI	Description
-------------	-----	----------------	----	-------------

7 8 35.25" X 60" 96



3001-Mezzo Double Hung 35.25 x 60
Sash Split = Even
Operation / Venting = Double Hung
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
Full Screen
U-Factor = 0.22, CR = 69, SHGC = 0.24, VT = 0.4, CPD =
ASO-A-89-03424-00001
Contour, Colonial, White, 3V1H
Header Expander, Brickmould = No Brickmould, Frame
Size


Line Item Notes:

Comment / Room:

None Assigned

Line Item #	Qty	Width x Height	UI	Description
-------------	-----	----------------	----	-------------

8 4 38" X 50" 88




3004-Mezzo 38 x 50
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
U-Factor = 0.18, CR = 69, SHGC = 0.26, VT = 0.43, CPD =
ASO-A-91-03424-00001
Contour, Colonial, White, 2V3H
Header Expander, Brickmould = No Brickmould, Frame
Size

Line Item Notes:

Comment / Room:

None Assigned

QUOTE #		RUSH		STATUS		PO#	
2170070		No		None			
Line Item #	Qty	Width x Height		UI	Description		
9	1	70.5" x 34.5"		106			



3004-Mezzo 70.5 x 34.5
Composite Reinforcement, Frame Option = Standard
Block Frame
Frame Color = White
ThermD TG2, Glass Breakage Warranty
U-Factor = 0.19, CR = 69, SHGC = 0.25, VT = 0.42, CPD
= ASO-A-91-03874-00001
Contour, Colonial, White, 5V1H
Header Expander, Brickmould = No Brickmould, Frame
Size
Line Item Notes:

Comment / Room:

None Assigned

Customer Notes:

Total Unit Count 27

ATTENTION

Please note that all weights provided are estimates and subject to change based on actual order shipment.
For Informational Purposes: All windows are viewed from the outside looking in.

NOTICE: The rating information provided on this quote is based upon the NFRC ratings at the time of quote. Such ratings are subject to changes in the standard by the applicable regulatory agencies and will be finalized at the time of manufacturing. All ratings printed on the NFRC label will supersede the NFRC rating set forth in the quote. Any changes made to an order after submission may also result in changes to the NFRC rating. Customer shall be solely responsible for determining whether the product ordered meets their jurisdiction's requirements.

In accordance with the state of California:

WARNING: Cancer and Reproductive Harm - www.p65Warnings.ca.gov

This order is subject to AMI's Standard Terms and Conditions, which can be found here:
<http://www.associatedmaterials.com/Tools.html>

I have reviewed this order and certify that it is correct. I understand that this order is noncancellable, nonreturnable, and nonrefundable.

By _____ Authorized Representative

4/26/2019

Quote# 5304548



*** Proposal ***



SHIP-TO - 200375
ALSIDE SUPPLY
5170 NAIMAN PKWY
SOLON, OH 44139

440-248-7670
440-248-3687 FAX
<http://www.alside.com/>

PO Number:

SOLD-TO:
ASSOCIATED MATERIALS INC
ATTN: ACCTS PAYABLE
PO BOX 2010
AKRON, OH 44309

330-922-2143
330-922-2297 FAX


Job Name:
WILLOUGHBY HILLS

Quote#: 5304548

User 1: Asc162
Enter Date: 3/21/2019
Order Type: Ship & Invoice
Ship Via: TRUCK
Status: Unsubmitted Order



Outside Looking In
Due to variances in color and manufacturing
process, image shown may vary from final
product.



Line	Product and Price Details	Qty
1	ENTRY DOOR Warning - This line is out of date, in an error state, or not saved correctly. In order to continue, you must edit and save the line, correcting any configuration issues. <ul style="list-style-type: none"> - Product Options - - Legacy Single Entry Door In FrameSaver Frame - Standard Duty Non-Residential Door - 36" x 84" Nominal Size - Unit Size: 37 9/16" x 84 3/4" - Frame Depth: 4 9/16" - 2" Standard Brickmold - Right Hand Outswing - Outside Looking In - 2 Panel 430 Style 20-Gauge Smooth Steel Door - Comfortech DLA - Colonial Contoured Internal Grid - 2V x 2H - Snow Mist White Grids - Snow Mist White Inside and Outside - Hardware - Satin Chrome (626) QCL150 Lockset with Slate Lever (Vertical Notch) - 1 1/8" Edge Prep - Satin Nickel Kickplate - Outside Only - Aluminum QDC312 Stanley Hold Open Closer (Includes Reinforcement) - Frame - Snow Mist White Inside Frame - Mill Finish Sahara Threshold (5 7/8" Depth) - Stainless Steel Ball Bearing Hinges - 4 Hinges - Configuration Warnings - - Outswing doors include stainless steel hinges. The hardware on Standard Duty Doors is located higher than on Lite-Duty or Residential Doors.	1
2	ENTRY DOOR Warning - This line is out of date, in an error state, or not saved correctly. In order to continue, you must edit and save the line, correcting any configuration issues. <ul style="list-style-type: none"> - Product Options - - Legacy Single Entry Door In FrameSaver Frame - Standard Duty Non-Residential Door - 36" x 84" Nominal Size - Unit Size: 37 9/16" x 84 3/4" - Frame Depth: 4 9/16" - 2" Standard Brickmold - Right Hand Outswing - Outside Looking In 	1

4/26/2019

Quote# 5304548

- 2 Panel 430 Style 20-Gauge Smooth Steel Door
 - Comfortech DLA
 - Colonial Contoured Internal Grid - 2V x 2H
 - Snow Mist White Grids
 - Snow Mist White Inside and Outside
 - Hardware
 - Satin Chrome (625) QCL150 Lockset with Slate Lever (Vertical Notch)
 - 1 1/8" Edge Prep
 - Satin Nickel Kickplate - Outside Only
 - Aluminum QDC312 Stanley Hold Open Closer (Includes Reinforcement)
 - Frame
 - Snow Mist White Inside Frame
 - Mill Finish Sahara Threshold (5 7/8" Depth)
 - Stainless Steel Ball Bearing Hinges
 - 4 Hinges
 - Configuration Warnings -
- Outswing doors include stainless steel hinges.

The hardware on Standard Duty Doors is located higher than on Lite-Duty or Residential Doors.

Outside Looking In
Due to variances in color and manufacturing
process, image shown may vary from final
product.

